



# TEXTRANS MULTI-VEHICLE SYNTHETIC ATF



Texas Refinery Corp TEXTRANS MULTI-VEHICLE SYNTHETIC ATF is a synthetic automatic transmission fluid suitable for a wide variety of automatic transmissions. While there is no such thing as one transmission fluid for all applications, TRC TEXTRANS MULTI-VEHICLE SYNTHETIC ATF is as close as you will get to a universal product.

### ◆ CONTAINS SYNTHETIC BASE OILS

The first building block TRC used in making TEXTRANS MULTI-VEHICLE SYNTHETIC ATF is a superb synthetic base oil. This fluid was chosen for many reasons, including its compatibility with petroleum oils and other synthetic transmission fluids. The fluid is compatible with seals, gaskets, and various types of transmission parts. The base oil has a long service life, even before it is enriched with beefed-up additives.

### ◆ PROVIDES SUPERIOR PROTECTION

Special additives mixed in TRC TEXTRANS MULTI-VEHICLE SYNTHETIC ATF enable this automatic transmission fluid to combat wear, rust, corrosion, leakage, foam, oxidation, and cold weather. While conventional automatic transmission fluids require frequent oil changes, and through poor lubrication actually reduce the service life of transmissions, TRC TEXTRANS MULTI-VEHICLE SYNTHETIC ATF extends lubricant life and provides superior protection to the transmission.

### ◆ PROTECTS SHIFT QUALITY

TRC TEXTRANS MULTI-VEHICLE SYNTHETIC ATF protects shift quality and shift times with special friction modifiers. Special ingredients are chosen to provide durability so the quality of the shift will be as smooth and as pleasing to the driver, after many miles on the fluid, as when the fluid was brand new. Anti-shudder durability performance is an extremely important part of TRC TEXTRANS MULTI-VEHICLE SYNTHETIC ATF. This is particularly important in school buses, municipal or transit buses, motor homes, emergency vehicles, and other people movers, such as your own vehicle. TRC TEXTRANS MULTI-VEHICLE SYNTHETIC ATF offers numerous superior performance benefits. For example, this fluid resists viscosity shear down, cold weather thickening, or shortened oil life. The excellent protection it provides against thermal and oxidation degradation, means sludge and varnish is either non-existent or kept to an absolute minimum.

### ◆ OFFERS FLUID DURABILITY

TRC TEXTRANS MULTI-VEHICLE SYNTHETIC ATF is suitable for hot and cold temperatures. An extremely low pour point of -60° F. makes this product a good choice for cold weather. The synthetic base oil, with a flash point of 367°F., means it can handle desert temperatures in the summer, even when the transmission is being worked hard. TRC TEXTRANS MULTI-VEHICLE SYNTHETIC ATF offers fluid durability which, in turn, gets every bit of performance and durability from the transmissions.

### ◆ SIMPLIFIES CHOOSING A FLUID

While there is no such thing as one transmission fluid for every vehicle, TRC TEXTRANS MULTI-VEHICLE SYNTHETIC ATF is suitable for use in a long list of transmissions. Do not attempt to use this fluid in continuously variable transmissions (CVT's) or dual clutch transmissions (DCT's). It is suitable for use in Allison transmissions to replace Chrysler ATF+4 or the various Dexron fluids. TRC TEXTRANS MULTI-VEHICLE SYNTHETIC ATF simplifies choosing a fluid for a very complex transmission market and inventory consolidation will be a well known cost savings tool.

## SPECIFICATIONS

### TEXTRANS MULTI-VEHICLE SYNTHETIC ATF

Product Code # 6920

Filtered Down To 10 Microns

Foam - Tendency / Stability:

Sequence I, ml.

5/0

Sequence II, ml.

5/0

Sequence III, ml.

5/0

Viscosity Index

193

Viscosity cSt at 100° C.

7.3

Flash Point, ° F., C.O.C.

367

Pour Point, ° F. (C.)

-60 (-51)

Viscosity, cP/ -40° F.

10,900

Appearance

Bright

Color

Red

**MEETS AND EXCEEDS OR SUITABLE FOR USE FOR THE FOLLOWING OEM AUTOMATIC TRANSMISSION SPECIFICATIONS.**

**TEXTRANS MULTI-VEHICLE SYNTHETIC ATF SHOULD NOT BE USED IN CVT TRANSMISSIONS**

**(Continuously Variable Transmission) OR IN DCT TRANSMISSIONS (Dual Clutch Transmission)**

**CURRENTLY DOES NOT MEET DEXRON HP SPECIFICATION OR MERCON ULV SPECIFICATION**

OEM	Specification	Part Number	Other Designations
Aisin Warner	Aisin AW-1	GM 1940773	
Aisin Warner	JWS 3309		Mobil 3309; JWS 3317; Saab 3309
Aisin Warner	JWS 3324		
Allison	Allison C-4		
Allison	Allison TES-295		TranSynd
Allison	Allison TES-389		
Allison	Allison TES-389B		
Allison	Allison TES-468		
Allison	Allison TES-668		
Audi/VW	TL 052 162	G 052 162	LT71141; LA2634
Audi/VW	TL 052 990	G 052 990	Jatco N402
Audi/VW	TL 055 025	G 055 025 A2	Mobil 3309
Audi/VW	Porsche 000.043.204.63		LT71141; LA2634
Audi/VW	Porsche 000.043.205.28		
Audi/VW	TL 052 162-X	G 055 005	
Audi/VW	TL 052 162-Y	G 055 162	
Audi/VW	TL 052 162-Z	G 060 162	

OEM	Specification	Part Number	Other Designations
Audi/VW	TL 052 540-B	G 052 540	
BMW	BMW 83 22 2 152 426		
BMW	BMW 83 22 2 305 397 (ATF 3)		
BMW	BMW 83 22 0 142 516		
BMW	BMW 83 22 2 289 720 (ATF3+)		
BMW	BMW 83 22 0 026 922		BMW 7045E; ETL-7045E
BMW	BMW 83 22 0 397 114	83 22 0 397 114 (4L); 83 22 2 163 514 (1L)	BMW ETL-8072B
BMW	BMW 83 22 9 407 807	83 22 9 407 807	LT71141; LA2634
BMW MINI	BMW 83 22 7 542 290		BMW/Mini T-IV; Mobil 3309
Daihatsu	Ammix D-III ATF	08700-K9005	
DSIH	6p805		Titan 3292
FCA (Fiat Chrysler)	Mopar SP-IV ATF	68171866AA	
FCA (Fiat Chrysler)	ATF+4		
FCA (Fiat Chrysler)	ATF+3		Jeep ATF+3
FCA (Fiat Chrysler)	ATF+2		
FCA (Fiat Chrysler)	MOPAR AS68/69RC	05127382AA	
FCA (Fiat Chrysler)	Mopar DEX-VI	68043742AA; 68043742AB; 68065322AA	
FCA (Fiat Chrysler)	Chrysler MS-10838	05142893AA	
FCA (Fiat Chrysler)	Chrysler MS-9602		
FCA (Fiat Chrysler)	Chrysler MS-1872		
FCA (Fiat Chrysler)	Chrysler MS-5931	04883077	
FCA (Fiat Chrysler)	Chrysler ZF Lifeguardfluid 8		
Ford	WSS-M2C924-A	XT-8-QAW	
Ford	Ford MERCON		WSS-M2C166H
Ford	Ford MERCON LV		
Ford	Ford MERCON SP		
Ford	MERCON® V	XT-5-QM. WSS-M2C-202B	
Ford	Ford FNR5	XT-9-QMM5	
Ford	WSS-M2C138		
Ford	WSS-M2C922		Jatco JF506E; IDEMITSU K-17
Ford	Ford XL-12	XL-12	
Ford	WSS-M2C195-A		
GM (General Motors)	GM Auto Trak II	GM 12378508 (US); GM 10953626	
GM (General Motors)	GM Dexron IID		Isuzu Besco ATF-II; Mobil ATF 220; Suzuki ATF 2384K*
			Replaced by III
GM (General Motors)	GM Dexron IIE		
GM (General Motors)	GM Dexron IIIF		
GM (General Motors)	GM Dexron IIIG		
GM (General Motors)	GM Dexron IIHH		Isuzu Besco ATF-III
GM (General Motors)	GM Dexron III		
GM (General Motors)	GM Dexron VI		
GM (General Motors)	T-IV Transmission Fluid	88900925	
GM (General Motors)	ATF Saturn T-IV	22689186	
GM (General Motors)	AW-1 Transmission Fluid	GM 19256039 (US); 19256040	
GM (General Motors)	GM WS-ATF	88863400; 88863401	
GM (General Motors)	TASA		
GM (General Motors)	Power Steering Fluid	89021184; 19329450; 1052884	
GM (General Motors)	9985010	1050017; 1052884	
GM (General Motors)	9985835	12345866	
GM (General Motors)	Dexron		
Honda	Honda Type 3.0		
Honda	Honda ATF-Z1		
Honda	Honda ATF DW-1		
Hyundai/Kia	Hyundai SP-IV	04500-00115	
Hyundai/Kia	Hyundai SP-IV-RR	00232-19052	
Hyundai/Kia	Hyundai NWS 9638	04500-00180; 00232-19016	
Hyundai/Kia	Kia Red-1	UM040CH020	
Hyundai/Kia	JWS 3314		
Hyundai/Kia	JWS 3317		
Hyundai/Kia	Hyundai SP-II		Isuzu Besco ATF-SP
Hyundai/Kia	Hyundai SP-IV M	00232-19057; 00232-19059	
Hyundai/Kia	Hyundai SP-III	00232-19012; 00230-11500	
Hyundai/Kia	PSF-3		
Hyundai/Kia	Hyundai SPH-IV	00232-19045	
Hyundai/Kia	Hyundai SP		
Isuzu	Isuzu SCS	2-90531-200-0	
Jaguar	Jaguar Fluid 8432		
Jaguar	Jaguar Fluid JDE26444		
JASO	JASO 1-A		
JASO	JASO 1-A-LV		
Jatco	Nissan 402		Texaco 402
Jatco	3100 PL085		
MAN	MAN 339 V-1		
MAN	MAN 339 Z-2		
MAN	MAN 339 V-2		
MAN	MAN 339 Z-3		
MAN	MAN 339 Z-1		
MAN	MAN 339F		
Mazda	Mazda M-III		
Mazda	Mazda M-V		
Mercedes-Benz	MB 236.6		
Mercedes-Benz	MB 236.10		Shell 3403; NAG 1
Mercedes-Benz	MB 236.1		



OEM	Specification	Part Number	Other Designations
Mercedes-Benz	MB 236.2		
Mercedes-Benz	MB 236.3		
Mercedes-Benz	MB 236.5		
Mercedes-Benz	MB 236.7		
Mercedes-Benz	MB 236.9		
Mercedes-Benz	MB 236.81		
Mercedes-Benz	MB 236.91		TranSynd
Mercedes-Benz	MB 236.12	000 043 304 01, 000-043-304-01, 000-043-304-01-M853, 000.043.304.01, 00004330401"	Titan ATF 3353; Porsche 000 043 304 01
Mercedes-Benz	MB 236.14		ATF 134; NAG2VSport
Mercedes-Benz	MB 236.41		
Mercedes-Benz	MB 236.11		LT71141
Mercedes-Benz	Mercedes GL-450		ATF 3403
Mitsubishi	Mitsubishi SP-II		
Mitsubishi	Mitsubishi SP-III		
Mitsubishi	Mitsubishi Dia Queen ATF J3		
Mitsubishi	Mitsubishi Dia Queen ATF-PA		
Mitsubishi	Mitsubishi Dia Queen ATF J2		
Mitsubishi	Mitsubishi PS Fluid		
Mitsubishi	Mitsubishi Diamond SP-III		
Mitsubishi	ATF-MA-1		Matic D, J or S (5 sp), Aisin AW-1 (8 sp)
Nissan	Nissan Matic D	999MP-AA100P	
Nissan	Nissan Matic J	999MP-MTJ00P	
Nissan	Nissan Matic K	999MP-MTK00P	
Nissan	Nissan Matic S	999MP-MTS00P	
Nissan	Nissan Matic W	999MP-MTW00P	
Nissan	Nissan Matic C		
Nissan	Nissan PSF-II		
North American OEM	Low Viscosity ATF		
North American OEM	High Viscosity ATF		
PSA	B71 2340		LT71141
Renault	DP-0		LT71141
Saab	Saab 93165147	93165147	
Saab	Saab Power Steering Fluid 2634	45 30 09 800	
Subaru	Subaru ATF		
Subaru	Subaru ATF HP	K0140Y0700	
Subaru	Power Steering Fluid	K0209A0080	
Suzuki	Suzuki 3314		
Suzuki	Suzuki 3317	99000-22B00	Mobil 3309
Toyota	Toyota T-IV		
Toyota	Toyota T		
Toyota	Toyota T-I		
Toyota	Toyota T-II		
Toyota	Toyota T-III		
Toyota	Toyota WS		
Toyota	Toyota PSF Type EH	008886-01	
Voith	Voith H55.6335		
Voith	Voith H55.6336		
Volvo	AT 102		
Volvo	Volvo 1161621, 1161521		
Volvo	Volvo 1161640, 1161540		
Volvo	Volvo 97341		
Volvo	Volvo 97340		
Volvo	Volvo 31256774	Volvo 31256774 (1L); Volvo 31256775 (4L)	
ZF	ZF LifeGuardFluid5		LT71141
ZF	ZF TE-ML 09		
ZF	ZF TE-ML 21L		
ZF	ZF TE-ML 11 (3, 4 and 5 speeds)		
ZF	ZF TE-ML 04D		
ZF	ZF TE-ML 05L		
ZF	ZF TE-ML 17C		
ZF	ZF TE-ML 16L		
ZF	ZF TE-ML 14A		
ZF	ZF TE-ML 16M		
ZF	ZF TE-ML 14B		
ZF	ZF TE-ML 14C		
ZF	ZF TE-ML 20B		
ZF	ZF TE-ML 20C		
ZF	ZF TE-ML 03D		
ZF	ZF LifeGuardFluid6	S671 090 255; TYK500050	
ZF	ZF LifeGuardFluid6+	S671 090 281	
ZF	ZF TE-ML 11 (6 speeds)	S671 090 255	Shell M1375
ZF	ZF TE-ML 11 (8, 9 speeds)	S671.090.310; S671.090.311; S671090312; S671.090.313	Mopar 8 & 9 Speed ATF (68218925AA)

Handling Information: For safe handling of the product, read the Safety Data Sheet (SDS)  
DEXRON® is a registered trademark of General Motors Corp. • MERCON® is a registered trademark of Ford Motor Co.



**CANADA**

**TEXAS • ONTARIO • SASKATCHEWAN**

**Phone: 800-827-0711 • www.texasrefinery.ca**

**PRINTED 2022  
CB106920E**